



The Steemd Ritual

A lifestyle guide to traditional sauna, cold plunge, and contrast therapy.

Warmth. Stillness. Recovery.

Handcrafted outdoor wellness, used with intention.

PROTOCOLS MANUAL

Sauna · Cold plunge · Contrast therapy

October 2026

WELCOME

A ritual, not a workout.

Steemd builds outdoor rooms for stillness: traditional saunas, cold plunges, and fire features designed to live outside, year-round. This manual is the companion to that room. It turns heat and cold into a repeatable practice you can keep — calm, social, and fitted to ordinary life.

The protocols follow three stages. Beginner is the first month. Intermediate is the practice once sessions feel easy. Advanced is only for people already adapted to heat and cold. Progress is consistency, not endurance. Leave if you feel dizzy, nauseous, confused, or unwell.

1 Beginner

Weeks 1–4 · 2× / week

2 Intermediate

Consistent practice · 3× / week

3 Advanced

Adapted users · 3–4× / week

How to use this book

Start with sauna only. Add the plunge once heat feels familiar. Contrast — heat, then cold, then rest — comes last. Each protocol page is written so it can be posted in the changing area: temperatures, times, rest, and coaching notes on a single page.

Temperatures in this manual are cabin air for sauna and water temperature for plunge. A traditional Steemd sauna is a Finnish-style dry room, typically run from about 160°F while you learn the heat, up toward 180–190°F once you are adapted. Water on the stones — löyly (LOY-luh), the steam wave — is optional and changes how the heat feels. It is not required for a useful session.

The only rule that outranks the chart

Finish calm, not depleted. Hydrate before and after. Sleep matters more than an extra round. Children require adult supervision and milder temperatures. This manual is educational. It is not medical advice.

A week that actually happens

Three sessions beat seven heroic ones. Pair the ritual with something you already do: after a walk, before dinner, or as the close of a weekend afternoon by the fire feature. Keep a robe, towel, water, and electrolytes within arm's reach so the practice does not depend on willpower.

Day	Session	Why it fits
Monday or Tuesday	Sauna, beginner or intermediate	Resets the week. Early evening, then a quiet night.
Thursday	Sauna or short contrast	Midweek recovery without stacking hard training the same day.
Saturday	Longer ritual, optional plunge	Unhurried. Social if you want company. End with rest, not a chore list.

Skip cold after heavy lifting if building muscle is the goal. Do not stack an extra heat session the same day as a hard effort. For sleep, end on heat and finish 60–90 minutes before bed.

THE ROOM

Traditional heat, on purpose.

Steemd saunas are traditional Finnish-style rooms: a heater and rocks heat the air, and the air heats you. Infrared cabins warm the body with radiant panels while the air stays cooler. Both can support relaxation and recovery. They are not the same practice, and the longest population studies were done in traditional dry saunas.

Aspect	Traditional Finnish (with löyly)	Infrared
Heating	Heater and rocks. Heat by convection and radiation.	Panels warm the body directly. Air stays cooler.
Typical temperature	176–212°F (80–100°C). Steemd protocols run 160–190°F (71–88°C), the comfortable end of the traditional range.	118–160°F (48–71°C)
Humidity	Low baseline, 10–20%. Water on the rocks makes löyly — a brief steam wave.	Very dry, usually under 15%.
How it feels	Enveloping heat that builds from the outside in. Löyly hits skin and airways.	Gentler tissue warmth. Milder because the air is not as hot.
Session style	Short rounds, 10–20 minutes, with cool-down breaks. Often social.	Longer continuous sessions, 25–45 minutes. More passive.
Heater warm-up	30–60 minutes	10–20 minutes
Heart and core	Stronger rise in core temperature and cardiac output in a typical session.	Smaller core-temperature rise in matched-time sessions. Milder heart-rate response.
Research	Strongest long-term evidence. Finnish KIH cohort (2,315 men, 20+ years): frequent use was associated with lower all-cause mortality and lower rates of sudden cardiac death, cardiovascular disease, and stroke.	Growing shorter-term evidence, including pain and some heart-failure protocols. No comparable long-term mortality studies.
Best fit	Classic high heat, optional steam, cardiovascular stimulus, and the setting behind the longevity data.	Gentler heat, easier indoor setup, or heat sensitivity.

Neither format is universally better. Choose based on heat preference, whether steam and ritual matter to you, available power and space, and heat tolerance. Steemd rooms are built for the traditional practice: outdoor placement, ventilation, and a dedicated heat-up.

Practical note for a Steemd cabin

Electric heaters are commonly 240V. Wood-burning heaters are an option on many models. Allow 30–60 minutes to bring the cabin to temperature. Ventilation matters. Sit on the lower bench if the upper bench feels too hot — that is good form, not a lesser session.

PHYSIOLOGY

What 20 minutes of heat does.

Approximate responses in a traditional dry sauna around 165°F (74°C) — a moderate cabin temperature. Individual results vary with fitness, hydration, and heat acclimatization. Each row pairs the physiology with a plain-English summary.

Time	Temperature & cellular	Cardiovascular	In plain English
0–2 min	Skin warms quickly. Peripheral thermoreceptors activate.	Heart rate +5–15 bpm. Early skin vasodilation.	The body detects heat and opens vessels near the skin.
2–4 min	Skin keeps warming. Core still near 98.6°F. Sympathetic activation.	Heart rate climbs. Blood shifts toward the skin.	Circulation moves outward. The exercise-like effect begins.
4–6 min	Sweating threshold. Eccrine glands activate. Plasma volume starts to shift.	Heart rate typically +15–30 bpm. Cardiac output rising. Diastolic pressure often softens.	Sweat is the cooling system. The heart works about like moderate walking.
6–10 min	Core may rise 0.2–0.5°C (0.4–0.9°F). Heat-shock signaling starts.	Heart rate often 90–110+ bpm. Stronger cardiac workload.	Core begins to warm. Cells prepare protective proteins.
10–14 min	Skin near 39–41°C (102–106°F). HSF-1 activation underway — the switch for heat-shock proteins.	Heart rate commonly 100–120 bpm, a moderate exercise zone.	A real cardiovascular stimulus. Heat-shock signaling increases.
14–20 min	Core may be up 0.5–1.0°C (0.9–1.8°F) by the end. HSP70 transcription increases. Endorphin pathways active.	Peak heart rate for the session. Cardiac output elevated. Fluid loss via sweat.	Peak heat load. Calm and mood lift come after. Fluid loss often 0.3–0.8 L (10–27 oz).

Heat-shock proteins — the cellular repair crew

HSP70 and HSP72 help refold damaged proteins and shield cells from stress. Gene transcription ramps up late in the session as core temperature rises. Measurable increases often continue and peak 30 minutes to 12 hours after you leave. Regular use may keep this system more active. Heat-acclimated or fitter people often show smaller heart-rate and temperature rises — that is adaptation, not a failed session.

Always exit if you feel dizzy, nauseous, or unwell. Hydrate before and after. This timeline is educational, based on published physiology, and is not medical advice.

PHYSIOLOGY

What the first 5 minutes of cold does.

Approximate responses for a head-out plunge in water at or below about 59°F (15°C) — the range research treats as cold. Steemd beginner water (55–60°F) sits at that threshold; intermediate and advanced water is colder, so the same reflexes arrive faster. Individual results vary with acclimatization, body size, and whether the face is in. This is not a hypothermia timeline. Core temperature barely moves in a short plunge.

Time	Temperature & nerves	Heart, breath, chemistry	In plain English
0–15 sec	Skin cold receptors fire immediately. Water pulls heat from skin far faster than air.	Involuntary gasp of about 2–3 liters in the first 2–3 seconds. Breathing rate jumps. Skin vessels clamp shut; blood shifts toward the core.	The gasp is a reflex. Keep your face out of the water. Do not fight it with fast breathing.
15–60 sec	Cold-shock response peaks near 30 seconds, then starts to turn.	Heart rate often +15–30 bpm within the first seconds. Systolic pressure commonly +30–50 mmHg. Breathing still fast; breath-hold time is short.	This is the hardest window. The peak is usually behind you by one minute.
1–2 min	Skin stays cold. Core is still near baseline. Vasoconstriction holds.	Hyperventilation eases across 1–3 minutes if you slow the breath. Norepinephrine is already up: in 50°F water it roughly doubled by 2 minutes in one lab study.	Shock is fading. Alertness starts here. Stay still; do not bounce.
2–3 min	The cold-shock stage spans roughly the first 3 minutes. Adapted users can bring breathing under voluntary control.	Sympathetic drive remains high. Heart rate and pressure begin to settle from the peak but stay above rest.	This is the training window on the intermediate chart. Exit if shivering turns violent.
3–5 min	Superficial muscle and nerve cooling begins if you stay. Finger vasodilation (the hunting response) often starts only around 5–10 minutes.	Catecholamines keep rising with longer, colder immersion. A 5-minute head-out plunge shifted mood-related brain connectivity in one small study — preliminary, not a treatment.	Five minutes is enough for the alertness effect. Longer is not automatically better.

After you step out

Vessels reopen and the parasympathetic system rebounds. Many people feel a clean alertness for a while afterward. Norepinephrine still rises with each plunge even after months of practice. The gasp itself habituates: most people show a clearly smaller cold-shock response within about four to six immersions. Brown-fat activation and non-shivering thermogenesis are real with repeated cold, not something a single minute produces.

Sources include Tipton on the cold-shock gasp and the 0–3 minute stage; Johnson et al. 1977 (norepinephrine by 2 minutes in 10°C water); Šrámek et al. 2000 (large noradrenaline and dopamine rises at 14°C over longer immersion); Yankouskaya et al. 2023 (5-minute mood connectivity, small sample). Educational only. Not medical advice. Exit if breathing cannot be controlled, speech slurs, or shivering is violent.

PROTOCOL · 01

Sauna.

Sit. Breathe. Leave while you still feel well. Heat time is per round. Rest outside the cabin between rounds, breathing slowly through the nose. Do not raise the temperature until your current sessions feel easy.

BEGINNER	INTERMEDIATE	ADVANCED
Weeks 1–4 · 2× / week	Consistent practice · 3× / week	Adapted users · 3–4× / week
SAUNA HEAT 160–170°F 71–77°C cabin air	SAUNA HEAT 170–180°F 77–82°C cabin air	SAUNA HEAT 180–190°F 82–88°C cabin air
HEAT TIME 8–12 minutes per round Sit if lightheaded	HEAT TIME 12–15 minutes per round Full sweat, steady breath	HEAT TIME 15–20 minutes per round Progress, do not force
REST BETWEEN ROUNDS 5–8 minutes	REST BETWEEN ROUNDS 4–6 minutes	REST BETWEEN ROUNDS 3–5 minutes
ROUNDS 1–2	ROUNDS 2–3	ROUNDS 2–3
TOTAL SESSION 15–30 minutes	TOTAL SESSION 35–55 minutes	TOTAL SESSION 45–70 minutes
COACHING Start on the lower bench. Do not chase heat. Goal: finish calm. For sleep, end on heat and finish 60–90 minutes before bed. Hydrate 12–16 oz with electrolytes.	COACHING Rest outside between rounds. Skip extra heat the same day as hard training. For sleep, end on heat and finish 60–90 minutes before bed.	COACHING Exit if speech slurs or you feel faint. Higher heat is not automatically better. For sleep, end on heat and finish 60–90 minutes before bed.

In the room

Shower briefly before you enter if you have been outside working — clean skin sweats more evenly. A towel on the bench is enough. Pour a small ladle of water on the stones only after the heater is fully hot, and only if you want the steam wave. One ladle changes the room; several in a row can overwhelm a new user. Step out, cool in open air, drink, then decide whether another round is useful.

After the last round, cool naturally in open air. A hot shower undoes that cool-down and can leave you lightheaded. Ten quiet minutes with water is part of the session, not an afterthought.

PROTOCOL · 02

Cold plunge.

Cold is a skill of breathing, not toughness. Enter slowly. Count four slow breaths. Shoulders in; keep your face out of the water. Do not chase colder water. Rewarm naturally — no hot shower.

BEGINNER Weeks 1–4 · 2× / week	INTERMEDIATE Consistent practice · 3× / week	ADVANCED Adapted users · 3–4× / week
WATER TEMP 55–60°F 13–16°C Cold enough to start	WATER TEMP 50–55°F 10–13°C Sharp but controllable	WATER TEMP 45–50°F 7–10°C Do not drop below ~45°F
PLUNGE TIME 30–90 seconds Keep your face out of the water	PLUNGE TIME 1–3 minutes Hold still; steady breath	PLUNGE TIME 2–4 minutes Progress, do not force
REST BETWEEN ROUNDS 2–3 minutes	REST BETWEEN ROUNDS 2–4 minutes	REST BETWEEN ROUNDS 2–3 minutes
ROUNDS 1–2 immersions	ROUNDS 2–3 immersions	ROUNDS 2–3 immersions
TOTAL SESSION 8–15 minutes	TOTAL SESSION 15–25 minutes	TOTAL SESSION 20–30 minutes
COACHING Enter slowly. Breathe through the nose. Do not chase colder water. Hydrate 12–16 oz with electrolytes.	COACHING Hold still once immersed; do not bounce. Skip cold after heavy lifting if muscle growth is the goal. Exit if shivering becomes violent.	COACHING Do not drop below ~45°F without supervision. Exit immediately if shivering is violent or speech slurs. Most adapted users land near 11 minutes of cold a week; more is optional, not better.

How to enter

Sit on the edge. Legs in. Hands on the rim. Lower to the seat on an exhale. The gasp is normal; chasing it with fast breathing makes it worse. Count four slow breaths, then decide if you will stay. Keep your face out of the water. Time starts when the shoulders are in, not when you feel brave.

Rewarm by walking, dressing, and letting shivering do its work if it is mild. After a stand-alone plunge, skip the hot shower and alcohol, which blur the signal you just trained. (In a contrast session, heat after cold is part of the protocol.) If cold is new, do not plunge alone.

Weekly cold, not daily heroics

For adapted users, about 11 minutes of cold per week, split into sessions, is a good target; going beyond that is optional, not better. Build toward it rather than starting there. Quality of breath beats an extra minute in colder water.

PROTOCOL · 03

Contrast.

Contrast is sauna, then plunge, then rest — repeated with control. It is not a contest between heat and cold. End on cold for alertness. End on heat for sleep, and finish 60–90 minutes before bed.

BEGINNER Weeks 1–4 · 2× / week	INTERMEDIATE Consistent practice · 3× / week	ADVANCED Adapted users · 3–4× / week
SAUNA 160–170°F · 8–12 min	SAUNA 170–180°F · 12–15 min	SAUNA 180–190°F · 15–20 min
COLD PLUNGE 55–60°F · 30–90 seconds	COLD PLUNGE 50–55°F · 1–3 minutes	COLD PLUNGE 45–50°F · 2–4 minutes
REST BETWEEN ROUNDS 5–8 minutes	REST BETWEEN ROUNDS 4–6 minutes	REST BETWEEN ROUNDS 3–5 minutes
ROUNDS 2	ROUNDS 3	ROUNDS 3–4
TOTAL SESSION 30–40 minutes	TOTAL SESSION 50–70 minutes	TOTAL SESSION 70–90 minutes
COACHING Stay seated if lightheaded. Breathe slowly in the plunge. End on cold for energy, or heat for sleep. Hydrate before and after.	COACHING Quick rinse between heat and cold is optional. Hold still in the plunge. Rewarm naturally — no hot shower.	COACHING Do not drop below ~45°F without supervision. About 11 minutes of cold per week is a good target. End on cold for energy. This is progression, not a contest.

Order of a round

Heat first. Step out and let the heart rate settle for a minute in open air. Enter the plunge slowly. Rest, dressed or wrapped, before the next heat round — the rest is where the session becomes repeatable. A full intermediate session takes close to an hour. Plan it that way: no meetings on the other side of the door.

If you only have 25 minutes, do one heat round and one short plunge. A complete short ritual outperforms a rushed long one.

EVIDENCE

What the research actually supports.

Traditional sauna is dry heat at high temperature — often 176–212°F (80–100°C) with low humidity — studied most carefully in Finland. Steemd protocols run 160–190°F (71–88°C), the comfortable end of the traditional range. The strongest evidence comes from the Finnish Kuopio Ischemic Heart Disease Risk Factor (KIHD) Study (JAMA Internal Medicine) and reviews in Mayo Clinic Proceedings. Associations are dose-dependent: more frequent sessions, often 4–7 times per week and at least 15–20 minutes, track with larger effects than occasional use. These are observational findings, not guarantees.

Cardiovascular health

A session raises heart rate into a range comparable to moderate exercise, widens blood vessels, and shifts circulation toward the skin. In the Finnish cohorts, men using the sauna 4–7 times per week versus once weekly showed roughly 40–50% lower fatal coronary heart disease and cardiovascular mortality, about 63% lower sudden cardiac death, and about 47% lower incidence of hypertension in one long-term analysis. Blood pressure, arterial stiffness, endothelial function, and cholesterol profiles also move in a favorable direction in interventional work. Adding sauna to exercise can further lower systolic pressure and support cardiorespiratory fitness.

Longevity

Frequent bathing has been linked to about 40% lower all-cause mortality in men using the sauna 4–7 times weekly compared with once weekly, independent of many conventional risk factors. That is an association in the data, not a promise that a sauna adds years.

Brain, breath, body, mood

In middle-aged men followed about 20 years, frequent use versus infrequent use was associated with substantially lower risk of dementia (around 66%) and Alzheimer's disease (around 65%). Improved cerebral blood flow, lower inflammation, and heat-shock responses are plausible contributors. Regular use is also associated with lower risk of pneumonia, COPD, and other respiratory illness, and some people report milder cold symptoms. Heat may ease osteoarthritis, rheumatoid arthritis, and fibromyalgia symptoms, and can reduce the muscle tension people notice after training. Many people find mood and sleep improve, possibly because the session is a controlled stress followed by a parasympathetic rebound.

Read the evidence the way a careful owner would

The landmark mortality numbers come from traditional Finnish dry saunas, mostly in men, over decades of habitual use. Infrared and steam have different temperature and humidity profiles and less cohort evidence for the same outcomes. Sauna complements exercise and medical care. It does not replace them. With a physician's clearance, the circulatory stimulus may be especially useful for people with limited exercise capacity.

LIVING WITH IT

Make the room part of the week.

A premium outdoor sauna earns its place when it is used on ordinary Tuesdays, not only on holidays. The architecture is already doing half the work: you step outside, the day gets a threshold, and the session has a beginning and an end.

Before

Eat lightly, or not at all, in the hour before. Drink water. Leave the phone inside. If guests are coming, heat the cabin before they arrive so the ritual starts at temperature, not with waiting. A fire feature nearby makes the rest rounds social without pulling people back into the house.

During

Talk if you want; silence is just as good. New guests take the lower bench and a shorter round. Explain the exit before they sit down: dizziness means out, not through. Children only with an adult in the room, at milder heat, and for far less time than the adult chart.

After

Robe, water, electrolytes, and ten minutes of not deciding the next thing. If sleep is the aim, end on heat and protect the hour afterward from bright screens and late food. If the evening still has company, end on cold and keep the plunge short.

Hydration, simply

When	What
30–60 minutes before	12–16 oz water. Skip alcohol.
Between rounds	A few ounces if thirsty. Do not force a large volume in the cabin.
After	12–16 oz with electrolytes. More if the session was long or the day was hot.
Evening	Enough to replace sweat, not so much that sleep is interrupted.

Typical fluid loss in a 20-minute moderate session is about 0.3–0.8 L (10–27 oz). That is the number to replace, not a reason to chug.

Season

Outdoor cabins are a winter practice as much as a summer one. Cold air between rounds is part of the Finnish pattern and needs no special equipment. In deep cold, keep the path lit, the robe at the door, and the plunge closer to the beginner range unless you are already adapted. In summer, start at the lower end of the heat chart; the cabin reaches temperature faster and perceived heat is higher.

SAFETY

Who should pause, and when to stop.

Sauna and cold plunge are generally well tolerated by healthy adults, and by many people with stable cardiovascular disease, when used sensibly. Even so, on some days they are the wrong tool. Consult a physician before heat or cold exposure if you are pregnant; have cardiovascular disease, uncontrolled hypertension, arrhythmia, Raynaud's, or neuropathy; or take medications that affect heart rate or blood pressure.

Stop the session

- Dizziness, nausea, confusion, chest discomfort, or a sense that breathing cannot be controlled.
- Violent shivering, slurred speech, or numbness that does not settle after you exit the plunge.
- Any feeling that you are forcing the round to finish a number on a chart.

Do not

- Use the sauna or plunge alone if you are new or have any of the risk factors above.
- Drink alcohol before or during. It impairs judgment and temperature regulation.
- Bring children in without an adult in the room, or at adult temperatures and times.
- Drop plunge water below about 45°F without supervision.
- Treat the protocol as medical treatment, detox, or a substitute for prescribed care.

Not medical advice

This manual summarizes Steemd practice protocols and findings from observational cohort studies, reviews, and smaller interventional research available as of 2026. Individual results vary. The outcome associations draw primarily on peer-reviewed reviews, the Finnish KIHU study (JAMA Internal Medicine), reviews in Mayo Clinic Proceedings, and related journals. Consult a healthcare professional before starting or changing any wellness practice, especially with pre-existing conditions.

Keep this with the room

Print the protocol pages and leave them where a guest will see them before they step in. The charts are the session. The rest of the book is how the session fits a life.

Steemd Wellness

Premium outdoor saunas, plunges, and fire features.

Handcrafted in North America.

steemdwellness.com

steemdwellness@gmail.com

519-796-2018